



EXPRESS
build program

Canarm recognizes that there are instances where an item has been overlooked by your customer. Others may be faced with emergency situations where the replacement of a product is required immediately. When your customers have situations like this, then look no further than Canarm and our Express Build Program for Delhi Blowers and LFI Axial Fans.

Canarm is pleased to announce that, effective immediately, we are initiating our new Express Build Program to accommodate this need.



How “Express Build” Works

Canarm stocks many Class A items for quick shipment. Class A items are not subject to Express Build premiums unless they are being altered or we are adding motor and drives.

For CLASS B and CLASS C we offer the following “Express Build” Program:

2-3 Day Shipment

We aim to ship in 2 days and you do not pay if more than 3 days 50% Premium over the regular price of the product. (Minimum charge of \$150)

5-7 Day Shipment

We aim to ship in 5 days and you do not pay if more than 7 days 25% premium over the regular price of the product. (Minimum charge of \$100)

For CLASS D we offer the following “Express Build” Program:

10-12 Day Shipment

We aim to ship in 10 days and you do not pay if more than 12 days 50% premium over the regular price of the product. (Minimum \$150.00)



Terms & Conditions for Express Build

- Our suppliers may not on every occasion be able to provide expedited service therefore the Express Build program is only available “with our approval”. Canarm production staff must confirm that we can meet your required shipping date before we accept and confirm the order.
- Orders will not be entered without a valid written purchase order and a notation that the Express Build surcharge is authorized by you.
- The Express Build charge is a percentage of the value of the entire order including accessories.
- The Express Build Charge will appear on your invoice as an “Order Misc Charge” and will be subject to applicable taxes.
- All Express Build orders are **“NON-CANCELLABLE”**.
- “Days” are “working days” and start the day after the acceptance and entry of the order.
- The order will ship by end of day on the 3rd, 7th or 12th day (or before) as indicated.
- If Canarm does not ship by the date agreed to then you do not pay the Express Build charge.
- Circumstances outside our control may cause an order to not ship on time, in these cases Canarm will NOT be responsible for premium (ie Air, Expedited) freight costs, prepayment of shipping charges, on-site equipment rental, installation of the product or any other charges or penalties should product not ship on the assigned date.
- The premium does not apply to in stock product unless the customer is looking for express installation of motors and drives or other accessories.
- The Express Build premium would be in addition to regular motor/drive install costs.

Program details and charges are subject to change without notice.

Product Lead Times

Modified January 4, 2017

CLASS	LEAD TIME	PRODUCTS
A	Stock - 1 Week	G Series BD (excluding G15 x 1 3/16" - Class D)
		G Series DD
		200/9200 Series (excluding Twin units - Class D)
		300 Series
		400 Series (excluding 420, 422, 425 - Class C)
		D500 Series
		600 Series (excluding 620, 622, 625 - Class C)
		700 Series
		BI Series (excluding BI12, BI15, BI22, AW/Aluminum Wheel - Class D)
		900 Series - Select models - Class A List
		Galvanized Motor Platforms
		Filters, Coils & Hoods
		ALX Series Spun Aluminum Exhausters UB, UD, DB or DD
		XFS Series Exhaust Fans
		IDB Inline Duct Blowers
		BPT Series Bathroom Exhaust Fans
		SD Fans - 8" to 42" and XPF 8" to 24"
		AX Fans - 8" to 42" and XPF 12" to 24"
		P Fans - 8" to 36" and XPF 12" to 24"
		U Fans (U16-1, U18-1, U16-4, U18-4)
		3000 Series Shutters
		DFRC Series Inline Duct Fans
		SIS Series Side Intake Filtered Fresh Air Supply Units
Vents US - See Class A List for model availability		
B	1 - 2 Weeks	KE Direct Drive Pressure Blower - Except XPF models
		PW Direct Drive Pressure Blower - Except XPF models
		GSQ-D Series Inline Duct Blowers
		IDL Series Low Profile Inline Duct Blowers
		SIG Series Side Intake Filtered Fresh Air Supply Units
		Motors and Drives Mounted on Class A Products
		Motor Platforms - Painted
Non Stock "G" Series Delhi Blowers		
Hoods - EH, WH		
C	2 - 3 Weeks	G-2 Series G TWINS
		900 Series - Select models - Non Class A
		XBL Series Axial Fans - 24" to 48"
		XB Axial Fans - 12" to 48"
		HV Axial Fans - 12" to 48"
		HVA Axial Fans - 12" to 48"
		ADD Axial Fans - 12" to 48"
		DDP Axial Fans - 12" to 48"
		DDS Axial Fans - 12" to 48"
		BTA Tube Axial Fans - 12" to 48"
		DDA Tube Axial Fans - 12" to 48"
		WTA Tube Axial Fans - 12" to 24"
		U Series HD Models
		Dampers/Louvres - SCD, EAL, AD, ADI CD-RD, FD TYPE A&B
		800 Series
		ALX090, ALX300, ALX360 UB/DB
		SBRM, SDUB, SB & SD - Spun Aluminum Series
RTA Fans up to 48"		
RB Fans up to 48"		
RD Fans		
D	4 Weeks + If required sooner please see Express build program and call your Sales Representative	HRE Series
		DSQ-B Series
		BI-AW Series and BI12, BI15, BI22
		BIDI Series
		DPL Series
		900 Series TWINS
		200 Series TWINS
		9200 Series TWINS
		9200VIB Series
		HVAR - Reversing Axial Fans
		Axial Fans - 54" + XB, HV, HVA
		Tube Axial Fans - 54" + BTA, DDA
		WTA's 30"+
		HTA's
		Jet Fans - JFHVA's
		RTA Fans - 54" +
		Mancoolers MCYA, MCYA, MCS, MCSA, MCU, MCUA
		RB Fans - 54" +
		RTASH - Smoke and Heat Fans
		Vents US - Call for items not on Class A List

Blower lead times are for base units. Add 1 week for installation of motors & drives. Contact Canarm for delivery information for other products not listed here. Details to follow in future price lists.

Lead Time classifications for all Delhi Blowers and LFI Axial Fans have now been added to our price lists.

This information, also shown in the the tables here, may be used as a general guideline.

NOTE:

Lead time dates are estimates and based on average turnaround times. Multiple unit orders may affect leads times. Please contact your factory rep. when placing large orders to confirm availability.

If product is required sooner please see Express build program and call your Sales Representative

Accessories

Accessories - Including roof curbs, hinges, grease traps, wall brackets and dampers are typically available from within 1 week from order date. We do try to keep some in stock.

For Polyurethane coating please allow an additional 2 weeks.

OEM - Lead Times

We try to complete within 2 weeks depending on forecast and usage. Please consult with your Sales Representative.

CLASS A LIST ITEMS

Modified January 4, 2017

G Series BD	
9005401	G7-5
9005405	G7
9005417	G9-7
9005421	G9
9005437	G10-8
9005441	G10
9005460	G12-9 x 1
9005464	G12 X 1
9005477	G15-10
9005478	G15
9005493	G18
9005494	G18 x 1-3/16
9005479	G15 x 1-3/16
G Series DD	
9002002	G9DD
9002003	G9-7DD
9002004	G10DD
9002005	G10-8DD
200 / 9200 Series	
9020101	207 STD
9020102	209 STD
9020103	210 STD
9020104	212 STD
9020105	215 STD
9020121	218 STD
9020106	207 INS
9020107	209 INS
9020108	210 INS
9020109	212 INS
9020110	215 INS
9020122	218 INS
9020033	9209
9020034	9210
9020035	9212
9020036	9215
9020037	9218
9020038	9220
IDB Series	
9020101-G	IDB07
9020102-G	IDB09
9020103-G	IDB10
9020104-G	IDB12
9020105-G	IDB15
300 Series	
9030101	307
9030102	309
9030103	310
9030104	312
9030105	315
9030106	318
400 Series	
9040101	407
9040102	409
9040103	410
9040104	412
9040105	415
9040106	418
D500 Series	
9050001	D503
9050002	D504
9050003	D530
9050004	D506
9050005	D507
600 Series	
9060301	610
9060302	612
9060303	615
9060304	618

700 / SIS Series	
9070101	709
9070102	710
9070103	712
9070104	715
9070105	718
9572001	SIS-9
9572002	SIS-10
9572003	SIS-12
9572004	SIS-15
9572005	SIS-18
BI Series	
9110501	BI-10
9110503	BI-13
9110505	BI-16
9110506	BI-18
9110507	BI-20
9110509	BI-24
9110510	BI-27
9110511	BI-10RM
9110513	BI-13RM
9110515	BI-16RM
9110516	BI-18RM
9110517	BI-20RM
9110519	BI-24RM
9110520	BI-27RM
900 Series	
9090020	907 X 3/4
9090030	909 X 3/4
9090025	909-7 x 3/4
9090040	910 X 1
9091119	910-8 X 1
9090050	912 X 1
9090045	912-9 X 1
9091121	915-10 X 1-3/16
9091093	915 x 1-3/16
9091114	918 X 1-7/16
9090066	920-18 X 1-7/16
9090003	920 X 1-7/16
9090005	922 X 1-7/16
900 Series Motor Platforms	
9200011-G	FITS 912 / 915 / 915-10 / 918-13
9200002-G	FITS 918
9200003-G	FITS 920 / 920-18 / 922
9200004-G	FITS 925
9200017-G	FITS 927 / 930
9200019-G	FITS 933 / 936
9200040	912/915 7.5-15 HP
9200041	918/ 7.5-15 HP
9200042	920/922 7.5-15 HP
9200043	925/7.5-15 HP
9200044	927/930 7.5-15 HP
9200045	933/936 7.5-15 HP
Filtered Intake Hoods	
9572106	H9220
9572104	H9215
9572102	H9210
9572101	H9209
9572105	H9218
9572103	H9212
HC / CW Coils	
9020010	HC-07
9020011	HC-09
9020012	HC-10
9020013	HC-12
9020014	HC-15
9020206	CW-07
9020207	CW-09
9020208	CW-10
9020209	CW-12
9020210	CW-15

Filters / Coils and Hoods	
9020001	F207 ALUM
9020002	F209 ALUM
9020003	F210 ALUM
9020004	F212 ALUM
9020005	F215 ALUM
9020006	F218 ALUM
9020052	F9220 INS
Spun Aluminum Series	
ALX105-UD013V	10.5" UPBLAST, DD, VAR SPD
ALX105-DD033EC	10.5" DOWNBLAST, DD, ECM MOTOR, VAR SPD
ALX105UD033EC	10.5" UPBLAST, DD, ECM MOTOR, VAR SPD
ALX120-UD033V	12.25" UPBLAST, DD, VAR SPD
ALX120-UD033EC	12.25" UPBLAST, DD, ECM MOTOR, VAR SPD
ALX135-UD033EC	13.5" UPBLAST, DD, ECM MOTOR, VAR SPD
ALX135-DD050V	13.5" DOWNBLAST, DD, VAR SPD
ALX135-UD050V	13.4" UPBLAST, DD, VAR SPD
ALX150-UD075S	15" UPBLAST, DD
ALX165-UD150S	16.5" UPBLAST, DD
ALX135-UB	13.5" UPBLAST, BELT DRIVE, LESS MTR/DRIVES
ALX150-UB	15" UPBLAST, BELT DRIVE, LESS MTR/DRIVES
ALX165-UB	16.5" UPBLAST, BELT DRIVE, LESS MTR/DRIVES
ALX180-UB	18.25" UPBLAST, BELT DRIVE, LESS MTR/DRIVES
ALX210-UB	21" UPBLAST, BELT DRIVE, LESS MTR/DRIVES
ALX245-UB	24.5" UPBLAST, BELT DRIVE, LESS MTR/DRIVES
ALX135-DB	13.5" DOWNBLAST, BELT DRIVE LESS MTR/DRIVES.
ALX150-DB	15" DOWNBLAST, BELT DRIVE LESS MTR/DRIVES.
ALX165-DB	16.5" DOWNBLAST, BELT DRIVE LESS MTR/DRIVES.
ALX180-DB	18.25" DOWNBLAST, BELT DRIVE LESS MTR/DRIVES.
ALX210-DB	21" DOWNBLAST, BELT DRIVE LESS MTR/DRIVES.
ALX245-DB	24.5" DOWNBLAST, BELT DRIVE LESS MTR/DRIVES.
ALX105-DD013V	10.5" DOWNBLAST, DD, VAR SPD.
ALX120-DD033V	12.25" DOWNBLAST, DD, VAR SPD.
DFRC and BATH FANS	
DFRC-4ES	4" In-line duct fan
DFRC-6ES	5" In-line duct fan
DFRC-6ES	6" In-line duct fan
DFRC-8ES	8" In-line duct fan
DFRC-10ES	10" In-line duct fan
DFRC-12ES	12" In-line duct fan
BPT12-13H	70 CFM Bath 1 Sone
BPT18-34A-1	110 CFM Bath 1 Sone
BPT18-54A-1	150 CFM Bath 1.5 Sone
VENTS US PRODUCTS	
VK100PS	4" 162 CFM Dryer Booster
VK125PS	5" 235 CFM Dryer Booster
VK100	4" 162 CFM
VK150	6" 317 CFM
VK200	8" 507 CFM
VK250	10" 735 CFM
VK315	12 3/8" 871 CFM
VENTS US PRODUCTS	
TT100S	4" 146 CFM
TTSILENT125	5" 200 CFM
TTSILENT150	6" 327 CFM
TT100	4" 105 CFM
TT125	5" 126 CFM
TT150	6" 225 CFM
VKP125	5" 180 CFM
VCN100	4" 238 CFM
VCN125	5" 248 CFM
VCN150	6" 302 CFM
VCN200	8" 306 CFM
ERV120S	5", 162 CFM, Apparent Sensible Effectiveness 65%, Sensible Recovery Efficiency 54%
HRV120	4", 177 CFM, Sensible Efficiency 79%
HRV170	5", 193 CFM, Sensible Efficiency 77%
HRV200	6", 234 CFM, Sensible Efficiency 79%
TFCOMFORA1-50-2	6", 32 CFM, EC motor, Efficiency 91%, duct 4 3/4" - 18 1/2" long, with powercord and remote control.
TT315	12" Inline Mixed-Flow Fans Turbo Tube Series, 1051 CFM high, 830 low. (Plastic case)
TTPRO100	4" INLINE MIXED-FLOW FANS TURBO TUBE SERIES, 210CFM (PLASTIC CASE)

Subject to change without notice.